



# KV

系列  
series



KV系列是一款适合KTV房的三分频音箱，良好的低频控制力和下潜量，让声音更感厚实，设计三点分频模式更让中高频有一个出色的发挥，整个箱体通过科学的物理设计，巧妙地有效克服了音频短路的现象。KV系列是能胜任KTV包房、量贩的音箱。

KV series is a 3 ways speaker suitable to KTV, good low frequency control to the voices are more thick, 3 ways mode design let in middle frequency have a good play, the physical design of cabinet, clever to effectively avoid the audio short circuit phenomenon. The KV series is a good choice for KTV rooms.

**MASU**<sup>®</sup>  
Sound  
英国玛素

KARAOKE SPEAKER

## KV-310



### 结构特性:

KV-310是由一只10寸低音单元、二只中音单元、二只高音单元组成的三分频扬声器系统，配备以新颖的箱体颜色，彰显高贵大方。乐感清晰，低频丰厚有力，话筒演唱轻松，中低音饱满有质感，是量贩 KTV房很好的选择。

### 电性能参数 Electrical performance parameter

频响范围(±10dB) Frequency response (±10dB)	45Hz - 20 KHz
声压灵敏度(1瓦,1米) Pressure sensitivity(1 watt.1 m)	93 dB SPL
最大连续声压级 Maximum continuous sound pressure level	118 dB SPL
峰值声压值 Peak sound pressure level	121 dB SPL
输入阻抗 Input impedance	8 ohm
额定输出功率 Rated output power	180 W
峰值输出功率 Peak output power	360 W
低频 Woofer	1x10 英寸精密低频换能器 1x10 inch precision woofer transducer
中频 Middle Frequency	2x5 英寸精密中频换能器 2x5 inch precision mid-frequency transducer
高频 High Frequency Driver	2x3 英寸精密高频驱动器 2x3 inch precision high frequency driver
低频 Woofer Size	50mm
中频 Middle Frequency Size	25mm
高频 High Frequency Driver Size	14mm

### Structural Features:

KV-310 is a 3 ways speaker box which install by one 10 inch bass unit, two middle unit, two tweeter


unit, equipped with based on novel body color, reveal noble generous. Music is clear, the low frequency is rich, microphone singing easily, the

### 结构和特性 Structure and characteristics

箱体 BOX	内部加固的15 mm 厚桦木多层板 Interior reinforced 15 mm thick birch plywood
箱体表面处理 Cabinet surface	标准色为 闪金, 6层闪金, 光面漆覆盖 standard colour is TwinkLing golden, 6 layer flash gold, glaze lacquer Covers
保护格栅 Protective grille	1.2mm 厚的透声孔钢板 1.2mm Thick sound-transparent holes steel plate
体积 (宽x深x高) Dimensions (WxDxH)	540mm x 305mm x 312mm
重量 weight	13.8 公斤 13.8 kg

bass full sense, is a very good choice in KTV room.





# KV-312



### 结构特性:

KV-312型卡包箱设计为三分频音箱，个性化的箱体色泽，独特的的分频器电路设计，频率响应在42Hz-20KHz，强大的功率承受力，强力的低频响应，圆滑的中高频，适合在不设超低音箱的场所使用，尤其适用于量贩KTV房。

### 电性能参数 Electrical performance parameter

频响范围(±10dB) Frequency response (±10dB)	42Hz - 20 KHz
声压灵敏度(1瓦.1米) Pressure sensitivity(1 watt.1 m)	94 dB SPL
最大连续声压级 Maximum continuous sound pressure level	120 dB SPL
峰值声压值 Peak sound pressure level	123 dB SPL
输入阻抗 Input impedance	8 ohm
额定输出功率 Rated output power	250 W
峰值输出功率 Peak output power	500 W
低频 Woofer	1x12 英寸精密低频换能器 1x12 inch precision woofer transducer
中频 Middle Frequency	2x5 英寸精密中频换能器 2x5 inch precision mid-frequency transducer
高频 High Frequency Driver	2x3 英寸精密高频驱动器 2x3 inch precision high frequency driver
低频 Woofer Size	65mm
中频 Middle Frequency Size	25mm
高频 High Frequency Driver Size	14mm

### 结构和特性 Structure and characteristics

箱体 BOX	内部加固的15 mm 厚桦木多层板 Interior reinforced 15 mm thick birch plywood
箱体表面处理 Cabinet surface	标准色为 钻石红，6层光面漆 覆盖 standard colour is Diamond red, 6 layer glaze lacquer Covers
保护格栅 Protective grille	1.2mm 厚的透声孔钢板 1.2mm Thick sound-transparent holes steel plate
体积 (宽x深x高) Dimensions (WxDxH)	600mm x 330mm x 350mm
重量 weight	16公斤 16kg

### Structural Features:

KV-312 karaoke speaker box is a 3 ways loudspeaker too. personal cabinet color, unique the frequency

divider circuit design, frequency response in 42Hz-20KHz, strong power, strong of low frequency response, sophisticated in high

frequency, and is suitable for the place where do not set subwoofer, and especially suitable for the KTV room.