



PROFESSIONAL SPEAKER

Q

系列  
series




Q系列扬声器主要针对夜场娱乐行业而设计，内置多点式吊装螺孔装置，使安装更为方便。箱体采用精选的高强度层压板制作，既有足够的强度，又能吸收箱体共振带来的异响。音色清晰细腻，中高频穿透力好，性价比非常高，特别适合于夜总会KTV包房使用。

Q series loudspeaker is mainly designed for an entertainment industry, built-in multi-point hoisting screw hole device, make the installation more convenient. use the high quality plywood for the enclosure, and sound absorbing body resonance. Clear timbre is exquisite, high frequency penetration is good, especially suitable for KTV nightclub.



## Q-3



### 结构特性:

Q-3全频音箱, 采用100°x50°指向号角, 配有10寸低频喇叭单元和1.4寸高频压缩驱动器, 与无源分频器及高强度层压板制作的箱体匹配使用, 可以令高频与低频搭配更为完美, 性价比非常高, 特别适合于夜总会KTV房使用。

### 电性能参数 Electrical performance parameter

频响范围(±10dB) Frequency response (±10dB)	48Hz - 20KHz
声压灵敏度(1瓦.1米) Pressure sensitivity(1 watt.1 m)	97 dB SPL
最大连续声压级 Maximum continuous sound pressure level	116 dB SPL
峰值声压值 Peak sound pressure level	119 dB SPL
输入阻抗 Input impedance	8 ohm
覆盖角度(HxV) -6dB Coverage Angle (HxV) -6dB	水平: 100° 垂直: 50° Horizontal: 100° Vertical: 50°
额定输出功率 Rated output power	250 W
峰值输出功率 Peak output power	450 W
低频 Woofer	1x 10 英寸精密低频换能器 1x 10 inch precision woofer transducer
高频 High Frequency Driver	1x 1.4 英寸精密高频驱动器 1x 1.4 inch precision high frequency driver
低频 Woofer Size	50mm
高频 High Frequency Driver Size	36mm

### Structural Features:

Q-3 full frequency sound box, using the 100° x 50° pointed horn, with a 10 inch low frequency speaker unit

and 1.4 inch high frequency compression driver, and passive divider and the box body of the high-strength laminate matching use, can

make high frequency and low frequency is more perfect collocation, price is very high, is particularly well adapted for use in the karaoke room.

### 结构和特性 Structure and characteristics

箱体 BOX	内部加固的18 mm 厚桦木多层板 Interior reinforced 18 mm thick birch plywood
连接器 Connectors	2只 4 针PA-COM插座 2Pcs 4-hole PA-COM plugs
箱体表面处理 Cabinet surface	标准色为黑色, 专业环保点状漆覆盖 standard colour is black, professional no environment pollution paint covers
保护格栅 Protective grille	1.5mm厚的透声孔钢板 1.5mm Thick sound-transparent holes steel plate
体积 (宽x深x高) Dimensions (WxDxH)	356mm x 320mm x 502mm
重量 weight	16.5 公斤 16.5 kg




白色

**MASU**<sup>®</sup>  
Sound  
英国玛素

PROFESSIONAL SPEAKER

## Q-5



### 结构特性:

配有12寸低频喇叭单元和1.4寸高频压缩驱动器与无源分频器及高强度层压板制作的箱体匹配使用的Q-5全频音箱, 采用100°x50°指向号角, 可以令高频与低频搭配更为完美, 性价比非常高, 特别适合于夜总会KTV房使用。

### 电性能参数 Electrical performance parameter

频响范围(±10dB) Frequency response (±10dB)	46Hz - 20KHz
声压灵敏度(1瓦.1米) Pressure sensitivity(1 watt.1 m)	98 dB SPL
最大连续声压级 Maximum continuous sound pressure level	117 dB SPL
峰值声压值 Peak sound pressure level	120 dB SPL
输入阻抗 Input impedance	8 ohm
覆盖角度(HxV) -6dB Coverage Angle (HxV) -6dB	水平: 100° 垂直: 50° Horizontal: 100° Vertical: 50°
额定输出功率 Rated output power	300 W
峰值输出功率 Peak output power	550 W
低频 Woofer	1x 12 英寸精密低频换能器 1x 12 inch precision woofer transducer
高频 High Frequency Driver	1x 1.4 英寸精密高频驱动器 1x 1.4 inch precision high frequency driver
低频 Woofer Size	65mm
高频 High Frequency Driver Size	36mm

### 结构和特性 Structure and characteristics

箱体 BOX	内部加固的18 mm 厚桦木多层板 Interior reinforced 18 mm thick birch plywood
连接器 Connectors	2 只 4 针PA-COM插座 2Pcs 4-hole PA-COM plugs
箱体表面处理 Cabinet surface	标准色为黑色, 专业环保点状漆覆盖 standard colour is black, professional no environment pollution paint covers
保护格栅 Protective grille	1.5mm厚的透声孔钢板 1.5mm Thick sound-transparent holes steel plate
体积 (宽x深x高) Dimensions (WxDxH)	395mm x 368mm x 575mm
重量 weight	19.2 公斤 19.2 kg



白色

### Structural Features:

Equipped with 12" speaker unit and 1.4 inch high frequency compression driver, and passive

divider and the box body of the high-strength laminate type matching using the Q-5 full frequency sound box, with 100° x 50° pointed horn,

can make high frequency and low frequency is more perfect collocation, price is very high, is particularly well adapted for use in the karaoke room.

